

SAFETY DATA SHEET

# Tilia Universalrent

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Tilia Universalrent ▼ Unique formula identifier (UFI) UH2E-R5Q0-100A-A25V 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Degreasing ▼ Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **SimFAS Sweden AB** Box 129 SE-272 23 Simrishamn Sweden +46 (0) 414 170 90 www.simfas.se Contact person Inga Göransson E-mail info@simfas.se Revision 09/11/2022 SDS Version 2.0 Date of previous version 15/06/2020 (1.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification 2.1. ▼ Classification of the substance or mixture Eye Irrit. 2; H319, Causes serious eye irritation. 2.2. Label elements Hazard pictogram(s) ▼ Signal word Warning ▼ Hazard statement(s) Causes serious eye irritation. (H319) Safety statement(s) General



▼ Prevention

Wear protective gloves/eye protection. (P280)

▼ Response

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Disposal

▼ Hazardous substances

None known.

Additional labelling

UFI: UH2E-R5Q0-100A-A25V

#### 2.3. Other hazards

#### ▼ Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

#### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
(2- methoxymethylethoxy)propan ol	CAS No.: 34590-94-8 EC No.: 252-104-2 UK-REACH: Index No.:	10-15%		[1]
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3 EC No.: 614-482-0 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. • Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

▼ Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.



#### ▼ Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. ▼ Extinguishing media

Not applicable.

#### 5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. ▼ Personal precautions, protective equipment and emergency procedures No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Vethods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

# 7.1. ▼ Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

▼ Recommended storage material

Always store in containers of the same material as the original container.

- ▼ Storage temperature
  - 0 °C 40 °C

# ▼ Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2



SECTION 8: Exposure controls/personal protection

### 8.1. ▼ Control parameters

(2-methoxymethylethoxy)propanol Long term exposure limit (8 hours) (ppm): 50 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 308

Annotations:

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **V**DNEL

(2-methoxymethylethoxy)propanol

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37.2 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	308 mg/m <sup>3</sup>

#### ▼ PNEC

(2-methoxymethylethoxy)propanol

Route of exposure	Duration of Exposure	PNEC
Freshwater		19 mg/L
Freshwater sediment		70.2 mg/kg
Intermittent release (freshwater)		190 mg/L
Marine water		1.9 mg/L
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4.168 g/L
Soil		2.74 mg/kg

#### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### ▼ General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure No specific requirements.

#### 8.3. Individual protection measures, such as personal protective equipment

# ▼ Generally

Use only UKCA marked protective equipment.

# Respiratory Equipment

Work situation	Туре	Class	Colour	Standards
In the event of	Respiratory	-	-	-



Work situation	Туре	Class	Colour	Standards	
adequate ventilation	protection is no needed	ot			
<ul> <li>Skin protection</li> <li>No specific requirem</li> </ul>	ients				
▼ Hand protection	ients.				
Material	Glove thicknes	s (mm) Break	through time	Standards	
material		(min.)		Standards	
Nitrile	0,2	> 480		EN374-2, EN374-3, EN388	
Eye protection					
Туре	Standards				
In the likelihood of direct or incidental exposure, use face protection.	EN166				Ē
ECTION 9: Physical and c	chemical proper	ties			
Physical state Liquid Colour Clear ▼ Odour / Odour thresh Mild	nold				
▼ pH					
Testing not relevant	or not possible	due to the natur	e of the product.		
Density (g/cm <sup>3</sup> ) ~1			<b>-</b>		
<ul> <li>✓ Kinematic viscosity</li> </ul>					
Testing not relevant	or not possible	due to the nature	e of the product.		
▼ Particle characteristic Does not apply to lig	S		·		
ase changes					
▼ Melting point/Freezin	iq point (°C)				
Testing not relevant	or not possible		e of the product.		
<ul> <li>Softening point/range Does not apply to liq</li> </ul>		stes) (°C)			
▼ Boiling point (°C) Testing not relevant	-	due to the nature	of the product		
▼ Vapour pressure Testing not relevant					
▼ Relative vapour densi	ity				
Testing not relevant ▼ Decomposition tempo	erature (°C)				
Testing not relevant	or not possible	due to the natur	e of the product.		
ita on fire and explosion	hazards				
<ul> <li>Flash point (°C)</li> <li>Testing not relevant</li> </ul>	or not possible	due to the nature	e of the product.		
▼ Auto-Ignition (°C)		d shared as a			
Testing not relevant ▼ Flammability (°C)	or not possible	due to the nature	e of the product.		
Testing not relevant V Lower and upper exp			e of the product.		



Testing not relevant or not possible due to the nature of the product.

- Solubility
  - Solubility in water
    - Completely soluble
  - n-octanol/water coefficient
     Testing not relevant or not possible due to the nature of the product.
  - ▼ Solubility in fat (g/L)

0

# 9.2. Other information

▼ Other physical and chemical parameters No data available.

SECTION 10: Stability and reactivity

- 10.1. ▼ Reactivity
  - No data available.

# 10.2. ▼ Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. ▼ Possibility of hazardous reactions None known.
- 10.4. ▼ Conditions to avoid None known.
- 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Test method Species Route of exposure Test Result Other information	Rat Oral LD50 >5000 mg/kg
Product/substance Test method	(2-methoxymethylethoxy)propanol
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result Other information	9510 mg/L
Product/substance Test method	Alcohols, C9-11, ethoxylated
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/L
Other information	

 Serious eye damage/irritation Causes serious eye irritation.

#### ▼ Respiratory sensitisation

Based on available data, the classification criteria are not met.



# Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. **Reproductive toxicity** Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2. Information on other hazards ▼ Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

- Endocrine disrupting properties None known.
- ▼ Other information None known.

SECTION 12: Ecological information

# 12.1. ▼Toxicity

<ul> <li>12.1. ▼ IOXICITY</li> <li>Product/substance</li> <li>Test method</li> <li>Species</li> <li>Compartment</li> <li>Duration</li> <li>Test</li> <li>Result</li> <li>Other information</li> </ul>	(2-methoxymethylethoxy)propanol Fish 96 hours LC50 10000 mg/L
Product/substance Test method Species Compartment Duration Test Result Other information	(2-methoxymethylethoxy)propanol Daphnia 48 hours EC50 1919 mg/L
Product/substance Test method Species Compartment Duration Test Result Other information	Alcohols, C9-11, ethoxylated Fish 96 hours LC50 1-10 mg/L
Product/substance Test method Species Compartment Duration Test Result Other information	Alcohols, C9-11, ethoxylated Daphnia 48 hours EC50 1-10 mg/L

### 12.2. ▼ Persistence and degradability



#### No data available.

12.3. ▼ Bioaccumulative potential

Product/substance (2-methoxymethylethoxy)propanol

Test method Potential bioaccumulation No data available. LogPow 0.004 BCF No data available. Other information

#### 12.4. ▼ Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. ▼ Endocrine disrupting properties None known.
- 12.7. ▼ Other adverse effects

None known.

SECTION 13: Disposal considerations

#### ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code

11 01 13\*

Degreasing wastes containing dangerous substances

#### ▼ Specific labelling

Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es) 14.4 PG*		14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. ▼ Special precautions for user

Not applicable.

14.7. ▼ Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application
 Restricted to professional users.
 Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical
 precautions or design of the workplace needed to eliminate exposure, must be considered.

 Demands for specific education No specific requirements.



- ▼ SEVESO Categories / dangerous substances Not applicable.
- Additional information
- Not applicable.

#### ▼ Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

- ▼ Full text of H-phrases as mentioned in section 3 H318, Causes serious eye damage.
- Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SCL = A specific concentration limit.
- SVHC = Substances of Very High Concern
- STOT-RE = Specific Target Organ Toxicity Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity Single Exposure
- TWA = Time weighted average
- UN = United Nations
- UVCB = Complex hydrocarbon substance
- VOC = Volatile Organic Compound
- vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

 The safety data sheet is validated by SimFAS Sweden AB



#### ▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en